



SWITCHES & SOCKETS



BRITISH STANDARD

TECHNICAL CATALOGUE



Lighting & Bell Switches

10A (BSEN 60669-1)



B101 / B102



B2301 / B2302



B201 / B202



B2401 / B2402



B301 / B302



B2601 / B2602



B401 / B402



B2801 / B2802



B103



B20113

B101
10AX Switch 1Gang 1Way, 7x7

B102
10AX Switch 1Gang 2Way, 7x7

B201
10AX Switch 2Gang 1Way, 7x7

B202
10AX Switch 2Gang 2Way, 7x7

B301
10AX Switch 3Gang 1Way, 7x7

B302
10AX Switch 3Gang 2Way, 7x7

B401
10AX Switch 4Gang 1Way, 7x7

B402
10AX Switch 4Gang 2Way, 7x7

B103
10A Bell Push Switch 1Gang, 7x7

B2301
10AX 1Way Switch 3Gang, 7x14

B2302
10AX 2Way Switch 3Gang, 7x14

B2401
10AX 1Way Switch 4Gang, 7x14

B2402
10AX 2Way Switch 4Gang, 7x14

B2601
10AX 1Way Switch 6Gang, 7x14

B2602
10AX 2Way Switch 6Gang, 7x14

B2801
10AX 1Way Switch 8Gang, 7x14

B2802
10AX 2Way Switch 8Gang, 7x14

B20113
10AX 1Way Switch + Neon Indicator 2Gang, 7x7

Lighting & Water Heater Switches

20A (BSEN 60669-1)



B117 / B118



BG104



B217 / B218



B104



B112



B104-PR01



B113



B20412

B117
20A 1Gang Intermediate Switch 7x7

B118
20A Switch 1Gang 2Way, 7x7

B217
20A 2Gang Intermediate Switch, 7x7

B218
20A Switch 2Gang 2Way, 7x7

B112
20A Cord Grommet 1Gang, 7x7

B113
Neon Indicator 1Gang, 7x7

BG104
20A 1Gang Double Pole switch with Indicator & earth, 7x7

B104
20A 1Gang Double Pole Switch with Indicator, 7x7

B104-PR01
20A 1Gang Double Pole Switch with Indicator Printed "Water Heater", 7x7

B20412
20A Switch Double Pole with Neon & Cord Grommet, 7x7

Air Conditioner Switches

45A (BSEN 60669-1)



N17-G2



N17-G2-PR02



N18-G2



N18-G2-PRO2

N17-G2

45A Double Pole Switch with Indicator 1Gang, 7x7

N17-G2-PR02

45A Double Pole Switch with Indicator & marked "Air Conditioner" 1Gang, 7x7

N18-G2

45A Double Pole Switch with Indicator 1Gang, 7x14

N18-G2-PR02

45A Double Pole Switch with Indicator & marked "Air Conditioner" 2Gang, 7x14

Power Socket Outlets plus USB Solutions

13A (BS 1363 & SASO 2203)

13A (BS 5733)
2.1 A USB (IEC 62684 & BC 1.2)

15A (BS 546)
13A (BS 7288)
BSEN 61558-2-5



N14



N99



N66



N12-G2



N87 / N100



N51



N23-G2



B185 / B188



N53



N13-G2



N67-G2

N14

13A Socket 1Gang, 7x7

N12-G2

13A Double Pole Switched Socket, 1Gang, 7x7

N23-G2

13A Double Pole Switched Socket with Indicator 1Gang, 7x7

N13-G2

13A Double Pole Switched Socket, 2Gang, 7x14

N67-G2

13A Double Pole Switched Socket, 2Gang with Indicator, 7x14

N99

13A 240V Power Socket with 2.1A 5V DC USB Charger 1Gang, 7x7

N87 / N100

13A 240V Power Socket 2 Gang with 2 Port 1A / 2.1A 5V DC USB Charger, 7x14

B185 / B188

USB Charger 1A / 2.1A 5V 1Gang, 7x7

N66

15A/127V Socket 1Gang, 7x7

N51

13A 240V RCD Double pole Switched Socket "30mA tripping current" 2Gang, 7x14

N53

Shaver Socket Dual Voltage 115/230V, 7x14

Lighting Control Dimmers

Dimmer (BSEN 60669-2-1)



B131-G3 / B132-G3 / BL224-G2



BL186 / BL226-G2



B231 / B232



N49

Fan Regulator Moon Lamp Music Doorbell



BL230-G2



BL271-W/BL271-Y/BL271-R



BL272-W/BL272-Y/BL272-R



BL282

Buzzer Fuse Unit Cable Outlet



B140/B141



B142



N19

Blank Plates BS 5733 (where applicable) Plug Top

13A Plug Top BS 1363



N08



B108



B208



N34

B131-G3

60-500W 200-240V 40-250W
110-127V 1Way Rotary Dimmer
1Gang, 7x7

B132-G3

60-500W 200-240V 40-250W
110-127V 2W Push Dimmer
1Gang, 7x7

BL224-G2

1Gang Lighting Dimmer 1Way
L series 500W 127V 7x7

BL186

150-1000W 240V 1Way Rotary
Dimmer 1Gang, 7x7

BL226-G2

1Gang Lighting Dimmer 1Way
L Series 1000W 7x7

B231

500W 240V Dimmer 1Way
Push type 2Gang, 7x7

B232

500W 240V Dimmer 2Way
Push type 2Gang, 7x7

N49

1500W 127V/2500W 240V 1Way
Rotary Dimmer 1Gang, 7x14

BL230-G2

Fan Regulator 80W/240V

BL271-W/BL271-Y/BL271-R

0.5 W 127V/220V Conical Foot
Lamp, 7x7

BL272-W/BL272-Y/BL272-R

0.2 W 127V/220V Flat Moon
Lamp, 7x7

BL282

127V/220V Music Door Bell,
7x7

B140

Buzzer 110V (30)VA 1Gang,
7x7

B141

Buzzer 230V (15) VA 1Gang,
7x7

B142

Fuse unit 13A 250V 1Gang,
7x7

N19

45A Connection Unit, 7x7

N08

Blank Plate 1Gang, 7x7

B108

Modular Blank Plate
1Gang, 7x7

B208

Modular Blank Plate
2Gang, 7x7

N34

13A 3 Rectangular pins
plug top with 13A fuse
and transparent base

Communication Socket Outlets

BS 5733 (where applicable)



B107



B20637



BL2137 / BL189



B20607



BL2237 / BL289



B105



B106/B119



B20609A



B137



B20610A

B107
Data Socket Outlet
CAT5 - RJ45 1Gang, 7x7

BL2137
Data Socket Outlet
CAT6 - RJ45 1Gang, 7x7

BL189
Data Socket Outlet
CAT6 - RJ45 1Gang, 7x7

BL2237
Data Socket Outlet
CAT6 - RJ45 2Gang, 7x7

BL289
Data Socket Outlet
CAT6 - RJ45 2Gang, 7x7

B106
Telephone Jack 6P 6C RJ11
(American Type) 1Gang, 7x7

B119
Telephone Jack 6P 4C RJ11
(American Type) 1Gang, 7x7

B137
Data Socket Outlet
CAT6 - RJ45 1Gang, 7x7

B20637
Data Socket CAT6 + American
Telephone Jack, 7x7

B20607
Data Socket CAT5 + American
Telephone Jack, 7x7

B105
1Gang British Telephone
Master, 7x7

B20609A
American Telephone Socket
RJ11 6P 6C + 75 Ohm
Angular TV Socket, 7x7

B20610A
American Telephone Socket
RJ11 6P 6C + 75 Ohm
Angular Satellite Socket, 7x7

TV/FM Outlets Satellite Outlets

BS 3041
(where applicable)



B109A



B110A



B209A10A



B210A

B109A
75 Ohm Angular
TV Socket 1Gang, 7x7

B110A
75 Ohm Angular Satellite
Socket 1Gang, 7x7

B209A10A
75 Ohm TV Socket 1 Gang
+ 75 Ohm Satellite socket
2Gang, 7x7

B210A
75 Ohm Angular Satellite
Socket 2Gang, 7x7

Weatherproof Enclosures IP56 Patress

IEC 60529
BS 5733 / BS 4662



N39



N40



N54

N39
IP56 Weatherproof
Socket Enclosure

N40
IP56 Weatherproof
Switch Enclosure

N54
Floor Mounted Box
with 3 (7x14) Slots

Power Socket Outlets

13A (BS 5733)
16A (BS 5733)

15A (BS 546)
16A (IEC 60884)
16A (BS 5733)

13A (BS 5733)
15A (BS 546)
Plug Top
15A Tested to 32A Plug BS 546



N68*



N15-G2*



N70*



BL221*



N24*



N52*



BL222*



N35*



N42*



N11*

N68*

13A Single Pole Switched Socket 1Gang, 7x7

BL221*

16A Schuko Socket with Shutter 1Gang, 7x7

BL222*

16A Schuko Socket without shutter 1Gang, 7x7

N15-G2*

15A Double Pole Switched Socket 1Gang, 7x7

N24*

15A Double Pole Switched Socket with Indicator 1Gang, 7x7

N35*

15A Special A/C Switched Socket with Indicator Tested to 32A Marked "A/C" 1Gang, 7x7

N11*

16A Universal Socket 2Gang, 7x14

N70*

13A International Double Pole Switched Socket 1Gang, 7x7

N52*

15A Special A/C Switched Socket with Indicator, Tested to 32A marked "A/C" plus 32A tested plug 1Gang 7x7

N42*

15A 3 Rounded pins plug top Tested to 32A

Note:

(*) Available only for export market

Paint Guard



This plastic guard protects the accessories while painting the wall.

Easy Installation



Specially designed angular termination allows easy accessibility by a screw driver even on a 4Gang switch.

Futuristic Shape



Aesthetically pleasing shapes incorporate continuous curves to convey warmth and positive energy.

Superior Quality



Product made of engineering thermoplastic that is robust, impact resistant, flame retardant and build to last.

Room for error

Any misalignment of the switchbox on the wall can be corrected because of an elongated fixing hole on the cover plate.

Durable

alf products are type tested to relevant IEC and BS standards to offer a minimum lifespan of 25 years.

Revolutionary technology



The terminals are constructed as single pieces without joints or rivets thanks to revolutionary sheet metal technology. This accommodates more wires than convectional brass turned terminals.

Silver alloy contacts



Switching contact are made of Silver alloy to withstand resistive and inductive loads, ensuring excellent performance throughout its life.

Smart



The rocker design has been Ergonomically sized and shaped only after receiving inputs from prestigious consultants and hundreds of actual users.

USB Solution



Enjoy comprehensive selection of 2.1A USB solution for charging various devices.

Applicable Standards



All products are applicable to meet or exceed the requirements of the national & international Standards.

Weatherproof solutions



Protect yourself and your family with using weatherproof Products when installing switches & sockets outside.

Anti-bacteria products



Prohibits growth of bacteria to prevents infection, Compatible with hospitals requirements.



K.S.A. Toll Free: 800 124 1333
www.alfanar.com